

	Hits	Search Text	DBs
1	11	("6226752" "6460141" "6374356" "6158010" "6092196" "6490624" "6275944" "6339830" "5761309" "6243816" "6408336").pn.	USPAT
2	6853	709/217,219,225- 227,229;713/155,168,200- 202.ccls. and @ad<"20000602"	US-PGPUB; USPAT
3	43	(709/217,219,225- 227,229;713/155,168,200- 202.ccls. and @ad<"20000602") and (single adj sign\$lon)	US-PGPUB; USPAT
4	110	(709/217,219,225- 227,229;713/155,168,200- 202.ccls. and @ad<"20000602") and ((central\$2 or remote\$2 or global\$2) near2 ((access or secure\$ or authenticat\$3 or authoriz\$5) adj server))	US-PGPUB; USPAT
5	80	((709/217,219,225- 227,229;713/155,168,200- 202.ccls. and @ad<"20000602") and ((central\$2 or remote\$2 or global\$2) near2 ((access or secure\$ or authenticat\$3 or authoriz\$5) adj server))) and ((client or user) near3 request)	US-PGPUB; USPAT
6	6853	709/217,219,225- 227,229;713/155,168,200- 202.ccls. and @ad<"20000602"	US-PGPUB; USPAT
7	553	(709/217,219,225- 227,229;713/155,168,200- 202.ccls. and @ad<"20000602") and (timeout or expiry)	US-PGPUB; USPAT
8	23	(709/217,219,225- 227,229;713/155,168,200- 202.ccls. and @ad<"20000602") and ((timeout or expiry) with (synchron\$7 or notif\$7))	US-PGPUB; USPAT
9	59	(709/217,219,225- 227,229;713/155,168,200- 202.ccls. and @ad<"20000602") and ((timeout or expir\$2) with (synchron\$7 or notif\$7))	US-PGPUB; USPAT

	Hits	Search Text	DBs
10	36	((709/217,219,225-227,229;713/155,168,200-202.ccls. and @ad<"20000602") and ((timeout or expir\$2) with (synchron\$7 or notif\$7))) not ((709/217,219,225-227,229;713/155,168,200-202.ccls. and @ad<"20000602") and ((timeout or expiry) with (synchron\$7 or notif\$7)))	US-PGPUB; USPAT
11	13	(single adj sign\$lon) and (timeout or expiry) and @ad<"20000602"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	10	he-jingsha.in.	USPAT
13	1	("6182142").PN.	USPAT; USOCR
14	1	("6385614").PN.	USPAT; USOCR
15	6874	709/217,219,225-227,229;713/155,168,200-202.ccls. and @ad<"20000602"	US-PGPUB; USPAT
16	35	(709/217,219,225-227,229;713/155,168,200-202.ccls. and @ad<"20000602") and ((user adj profile) with ((access adj level) or privilege or role))	US-PGPUB; USPAT
17	6874	709/217,219,225-227,229;713/155,168,200-202.ccls. and @ad<"20000602"	US-PGPUB; USPAT
18	501	(709/217,219,225-227,229;713/155,168,200-202.ccls. and @ad<"20000602") and timeout	US-PGPUB; USPAT
19	32	(709/217,219,225-227,229;713/155,168,200-202.ccls. and @ad<"20000602") and ((idle or session) adj timeout)	US-PGPUB; USPAT
20	11	("6226752" "6460141" "6374356" "6158010" "6092196" "6490624" "6275944" "6339830" "5761309" "6243816" "6408336").pn.	USPAT
21	46	(709/217,219,225-227,229;713/155,168,200-202.ccls. and @ad<"20000602") and (single adj sign\$lon)	US-PGPUB; USPAT

	Hits	Search Text	DBs
22	85	((709/217,219,225-227,229;713/155,168,200-202.ccls. and @ad<"20000602") and ((central\$2 or remote\$2 or global\$2) near2 ((access or secure\$ or authenticat\$3 or authoriz\$5) adj server))) and ((client or user) near3 request)	US-PGPUB; USPAT
23	27	(709/217,219,225-227,229;713/155,168,200-202.ccls. and @ad<"20000602") and ((timeout or expiry) with (synchron\$7 or notif\$7))	US-PGPUB; USPAT
24	37	((709/217,219,225-227,229;713/155,168,200-202.ccls. and @ad<"20000602") and ((timeout or expir\$2) with (synchron\$7 or notif\$7))) not ((709/217,219,225-227,229;713/155,168,200-202.ccls. and @ad<"20000602") and ((timeout or expiry) with (synchron\$7 or notif\$7)))	US-PGPUB; USPAT
25	16	(single adj sign\$lon) and (timeout or expiry) and @ad<"20000602"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	38	(709/217,219,225-227,229;713/155,168,200-202.ccls. and @ad<"20000602") and ((user adj profile) with ((access adj level) or privilege or role))	US-PGPUB; USPAT
27	35	(709/217,219,225-227,229;713/155,168,200-202.ccls. and @ad<"20000602") and ((idle or session) adj timeout)	US-PGPUB; USPAT
28	11	("6226752" "6460141" "6374356" "6158010" "6092196" "6490624" "6275944" "6339830" "5761309" "6243816" "6408336").pn.	USPAT
29	49	(709/217,219,225-227,229;713/155,168,200-202.ccls. and @ad<"20000602") and (single adj sign\$lon)	US-PGPUB; USPAT

	Hits	Search Text	DBs
30	90	((709/217,219,225-227,229;713/155,168,200-202.ccls. and @ad<"20000602") and ((central\$2 or remote\$2 or global\$2) near2 ((access or secure\$ or authenticat\$3 or authoriz\$5) adj server))) and ((client or user) near3 request)	US-PGPUB; USPAT
31	33	(709/217,219,225-227,229;713/155,168,200-202.ccls. and @ad<"20000602") and ((timeout or expiry) with (synchron\$7 or notif\$7))	US-PGPUB; USPAT
32	42	((709/217,219,225-227,229;713/155,168,200-202.ccls. and @ad<"20000602") and ((timeout or expir\$2) with (synchron\$7 or notif\$7))) not ((709/217,219,225-227,229;713/155,168,200-202.ccls. and @ad<"20000602") and ((timeout or expiry) with (synchron\$7 or notif\$7)))	US-PGPUB; USPAT
33	19	(single adj sign\$lon) and (timeout or expiry) and (@ad<"20000602" or @rlad<"20000602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	11	he-jingsha.in.	US-PGPUB; USPAT
35	37	(709/217,219,225-227,229;713/155,168,200-202.ccls. and @ad<"20000602") and ((idle or session) adj timeout)	US-PGPUB; USPAT
36	11	("6226752" "6460141" "6374356" "6158010" "6092196" "6490624" "6275944" "6339830" "5761309" "6243816" "6408336").pn.	USPAT
37	49	(709/217,219,225-227,229;713/155,168,200-202.ccls. and @ad<"20000602") and (single adj sign\$lon)	US-PGPUB; USPAT

	Hits	Search Text	DBs
38	90	((709/217,219,225-227,229;713/155,168,200-202.ccls. and @ad<"20000602") and ((central\$2 or remote\$2 or global\$2) near2 ((access or secure\$ or authenticat\$3 or authoriz\$5) adj server))) and ((client or user) near3 request)	US-PGPUB; USPAT
39	33	(709/217,219,225-227,229;713/155,168,200-202.ccls. and @ad<"20000602") and ((timeout or expiry) with (synchron\$7 or notif\$7))	US-PGPUB; USPAT
40	16	(single adj sign\$1on) and (timeout or expiry) and @ad<"20000602"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	39	(709/217,219,225-227,229;713/155,168,200-202.ccls. and @ad<"20000602") and ((user adj profile) with ((access adj level) or privilege or role))	US-PGPUB; USPAT
42	37	(709/217,219,225-227,229;713/155,168,200-202.ccls. and @ad<"20000602") and ((idle or session) adj timeout)	US-PGPUB; USPAT
43	85	(request with authenticat\$3) and (password with cache\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	41	S56 and (@ad<"20000602" or @rlad<"20000602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	1	("5689638").PN.	USPAT
46	98	(request or session) same (timeout with (configur\$3 or set\$3 or adjust\$3 or select\$3) with user\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	55	S74 and (@ad<"20000602" or @rlad<"20000602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB